February 17, 2009

STANDARDS BULLETIN 2009-05

Second Edition CAN/ULC-S702-09 STANDARD FOR MINERAL FIBRE THERMAL INSULATION FOR BUILDINGS

ULC is pleased to announce the publication of CAN/ULC-S702-09, the Second Edition of Standard for Mineral Fibre Thermal Insulation for Buildings. This Standard has been approved by the ULC Committee on Thermal Insulation Materials and Systems (S700A), and has been published with the date of February 2009. This new edition incorporates minor changes from the First Edition.

This Standard applies to mineral fibre thermal insulation manufactured in the form of faced and unfaced batts, rolls and boards. This standard does not permit the application of kraft paper facings on batts and rolls. It also applies to loose fill mineral fibre thermal insulation when used in unconfined spaces with slopes not exceeding 4.5:12.

This Standard specifies performance requirements and test methods for the products used under normal climatic conditions to thermally insulate attics, floors, ceilings and walls (above and below ground grade) in light frame construction buildings and manufactured housing.

This Standard also includes requirements for the manufacturer to provide the Job Site Certificate for use by the applicators.

Recommended practices for verification of quality consistency by the manufacturer and by a third party are included in Annexes.

If you require any additional information, please contact John Wade at 613-755-2729 ext. 6226 or by email at: John.Wade@ca.ul.com.

This standard can be ordered for \$186.00 CAN (Hardcopy) from the ULC website (<u>www.ulc.ca</u>) ULC online store.

Yours truly,

UNDERWRITERS LABORATORIES OF CANADA

G. Rae Dulmage

9 Kae Zulmage

Director, Standards Department and Government Relations Office and Regulatory