



31 July 2009

STANDARDS BULLETIN 2009-30

Third Edition CAN/ULC-S105-09

STANDARD SPECIFICATION FOR FIRE DOOR FRAMES MEETING THE PERFORMANCE REQUIRED BY CAN/ULC-S104

ULC is pleased to announce the publication of the Third Edition of CAN/ULC-S105-09, Standard Specification for Fire Door Frames meeting the performance required by CAN/ULC-S104. This Standard has been approved by the ULC Committee on Fire Tests, and has been published under the date of July 2009.

The requirements in this standard apply to frame assemblies for swinging fire doors. These frame assemblies have demonstrated performance in fire tests sufficient to warrant their use with fire doors, which have been assigned a fire protection rating of up to and including 3 h when tested in accordance with CAN/ULC-S104, Standard Method for Fire Tests of Door Assemblies. The frames may include provision for transoms or mullions.

Requirements for the installation of these frames are included in NFPA 80, Standard for Fire Doors and Other Opening Protectives.

If you require any additional information, please contact Mary Sengaroun at (613) 755-2729 ext. 6215 or via email at Mary.Sengaroun@ca.ul.com.

This standard can be ordered for \$222.00 CAN (Hardcopy) from the ULC website at www.ulc.ca by clicking on Order Standards and Directories followed by selecting ULC Online Store.

Yours truly,

UNDERWRITERS LABORATORIES OF CANADA

G. Rae Dulmage
Director, Standards Department, Government Relations Office and Regulatory