

31 August 2009

## **STANDARDS BULLETIN 2009-33**

## First Edition CAN/ULC-S662-09

## STANDARD FOR FACTORY-BUILT GREASE DUCTS

ULC is pleased to announce the publication of the First Edition of CAN/ULC-S662-09, Standard for Factory-Built Grease Ducts. This Standard has been approved by the ULC Committee on Kitchen Exhaust Equipment and Systems and has been published under the date of August 2009.

This Standard covers factory-built grease ducts and grease duct assemblies that are intended to be installed as alternatives to the grease ducts constructed of all welded 1.37 mm carbon steel or 1.09 mm stainless steel required by ULC-S650, Standard for the Installation and Performance of Ventilation and Fire Suppression Systems for Commercial and Institutional Cooking Equipment.

Grease ducts covered by this Standard are intended to be installed in a fire rated enclosure when required by the provincial or territorial regulations or bylaws, or in the absence of those requirements by the National Building Code of Canada.

Grease duct assemblies that penetrate fire rated assemblies which do not require the protection of a fire rated enclosure are covered by the requirements contained in CAN/ULC-S144, Standard Method of Fire Resistance Test - Grease Duct Assemblies.

If you require any additional information, please contact Mary Sengaroun at (613) 755-2729 ext. 6215 or by email at <u>Mary.Sengaroun@ca.ul.com</u>.

This standard can be ordered for \$ 231.60 CAN (Hardcopy) from the ULC website at <u>www.ulc.ca</u> by clicking on Order Standards and Directories followed by selecting ULC Online Store.

Yours truly,

UNDERWRITERS LABORATORIES OF CANADA

G. Kae Lilmage

G. Rae Dulmage Director, Standards Department, Government Relations Office and Regulatory