



File :CAN/ ULC-61243-3-10
ULC G.5.2

December 21st, 2010

STANDARDS BULLETIN 2010-30

First Edition of CAN/ULC-61243-3-10 (MOD) Live Working - Live working – Voltage Detectors – Part 3: Two-pole low-voltage type

ULC Standards is pleased to announce the publication of the Second Edition of CAN/ULC 61243-3-10 Live Working – Voltage Detectors –Part 3: Two-pole low-voltage type, and has been published under the date of December 2010.

CAN/ULC 61243-3-10 is applicable to hand-held two-pole voltage detectors with its accessories (crocodile clips and detachable leads) to be used in contact with parts of electrical systems:

- for a.c. voltages not exceeding 1 000 V at nominal frequencies between 16 2/3 Hz and up to 500 Hz,
- for d.c. voltages not exceeding 1 500 V.

The products designed and manufactured according to this standard contribute to the safety of the users provided they are used by skilled persons, in accordance with safe methods of work and the instructions for use. More information about safe work methods and the use of voltage detectors can be found in CAN/ULC-S801 Standard on Electric Utility Workplace Electrical Safety for Generation, Transmission and Distribution.

CAN/ULC-61243-3-10 is a Canadian adoption with modifications of the Second Edition of IEC 61243-3:2009

If you require any additional information, please contact Wouter van Halderen at 613-755-2729 or by email at: Wouter.vanHalderen@ca.ul.com.

This standard can be ordered for \$246.00 CAN (Hardcopy) from the ULC website (www.ulc.ca) ULC online store.

Yours truly,

ULC Standards

G. Rae Dulmage
Director, Standards Department and Government Relations Office and Regulatory
440 Laurier Avenue West, Suite 200
Ottawa, Ontario K1R 7X6