



July 7, 2010

## STANDARDS BULLETIN 2010-19

Amendment to Standard

**Second Edition of CAN/ULC-S543-09 including Amendment 1**

### STANDARD FOR INTERNAL LUG QUICK-CONNECT COUPLINGS FOR FIRE HOSE

ULC is pleased to announce the release of Amendment 1 to the Second Edition of CAN/ULC-S543-09, Standard for Internal Lug Quick-Connect Couplings for Fire Hose. Amendment 1 has been approved by the ULC Committee on Fire Protection Equipment and Systems.

CAN/ULC-S543-09 will be of interest to anyone who manufactures, distributes, uses, regulates or inspects internal lug quick-connect couplings. This Standard contains requirements for non-threaded, quick-connect couplings of the internal lug design for use in fire protection service. This Standard also contains requirements for the non-threaded, quick-connect portion of adaptor fittings intended for use in modifying threaded fittings to accommodate couplings of the internal lug design.

Amendment 1 of this Standard contains revisions to replace the Mercurous Nitrate Immersion Test with the 10-Day Moist Ammonia Air Stress Cracking Test. Additionally, Amendment 1 includes various editorial updates. Should you require any additional information, please contact Mark Ramlochan at (613) 755-2729 Ext. 6222 or email: [Mark.Ramlochan@ca.ul.com](mailto:Mark.Ramlochan@ca.ul.com).

This amended Standard can be ordered for \$240.00 through our website at [www.ul.com/canada](http://www.ul.com/canada) and selecting *ULC Standards*. Once at the *ULC Standards* page, select *Sales of ULC Standards Materials*.

Yours truly,

ULC Standards

G. Rae Dulmage  
Director, Standards Department, Government Relations Office and Regulatory