

File : ULC-S602 ULC-S670 ULC G5.2

May 8, 2015

STANDARDS BULLETIN 2015-05

CAN/ULC-S602-14, 6th Edition of the Standard for Aboveground Steel Tanks for Fuel Oil and Lubricating Oil

CAN/ULC-S670-14, 1st Edition of the Standard for Aboveground Nonmetallic Tanks for Fuel Oil and Other Combustible Liquids

INFORMATION REGARDING THE REQUIREMENTS ON TANKS FOR FUEL OIL, LUBRICATING OIL, AND OTHER COMBUSTIBLE LIQUIDS

To: Members of the ULC Advisory Council
Listees of Aboveground Steel Tanks for Fuel Oil and Lubricating Oil
Listees of Aboveground Nonmetallic Tanks for Fuel Oil and Other Combustible Liquids
Others Interested

Subject: Reminder to Consult Code and Regulations Prior to Submitting Tanks for UL/ULC Listing

The issuance of this Standards Bulletin is in response to queries received by ULC Standards concerning the requirements in CSA B139 Series-15, Installation Code for oil burning equipment, in relation to the requirements in the product Standards CAN/ULC-S602-14, Standard for Aboveground Steel Tanks for Fuel Oil and Lubricating Oil, and CAN/ULC-S670-14, Standard for Aboveground Nonmetallic Tanks for Fuel Oil and Other Combustible Liquids.

Specifically, two requirements of CSA B139 will impact the design and construction of a tank:

- 1. Number of required openings at the top; and
- 2. Water management.

Manufacturers are reminded to examine and apply the requirements in Code and Regulations prior to submitting a tank for UL/ULC listing. This is to ensure that a tank is designed and constructed in accordance with the applicable CAN/ULC Standards listed above, and at the same time addresses the applicable requirements in Code and Regulations.

This Standards Bulletin may be forwarded to others who may have an interest in the information presented in this document.

If you require any additional information, please contact Caitlin D'Onofrio at 613-368-4430 or by email at Caitlin.DOnofrio@ul.com.

Yours truly,



ULC Standards

G. Rae Dulmage

Director, Standards Department

D. Kae Zidmage