



File: ULC C1349  
ULC-G.5.2

July 1<sup>st</sup> 2019

## CERTIFICATION BULLETIN 2019-03

---

### Reinstatement of ULC/ORD-C1349, Guide for the Investigation of LP-Gas Vaporizers

---

**To:** Members of the Advisory Council of Underwriters Laboratories of Canada & Others Interested

---

This is in continuation to Bulletin 2018-11 wherein a decision was made to withdraw ULC/ORD-C1349-13. Subsequent to the release of the March 10th, 2018 bulletin, ULC, through the reaffirmation balloting process, have reinstated ULC/ORD-C1349-13 (R2018), Guide for the Investigation of LP-Gas Vaporizers.

In consideration of input received from the Regulatory Authorities and product manufacturers, ULC initiated an action on June 29<sup>th</sup> 2018 to have the subject ORD reinstated on an interim basis while awaiting the development and publication of a new Standard. The reinstatement of the ORD was approved by IGAC on August 2nd, 2018. This bulletin, therefore, formalizes the reinstatement of ULC/ORD-C1349-13 (R2018).

This Certification Bulletin may be forwarded to others who may have an interest in this document.

Any questions concerning the above should be directed to Mr. Gunsimar Paintal at +416.288.2217 or by email at: [Gunsimar.Paintal@ul.com](mailto:Gunsimar.Paintal@ul.com).

Sincerely,

**Underwriters Laboratories of Canada Inc.**

**Gunsimar Paintal**  
Regional Manager - Accreditations & Compliance  
ULC Mark Program Owner