

ULC STANDARDS TECHNICAL WORK PROGRAM (WTO)

PROJECTS UNDER DEVELOPMENT AS OF DECEMBER 1, 2020

| ULC STANDARD NO                              | TITLE                                                                                                                                                    | TITLE IN FRENCH<br>(if applicable)                                                                                                                              | PROJECT TYPE  | CURRENT<br>STAGE<br>CODE | CURRENT STAGE<br>CODE<br>COMMENCEMENT<br>DATE<br>(yyyy-mm) | PUBLIC COMMENT<br>START DATE<br>(yyyy-mm-dd) | PUBLIC COMMENT<br>END DATE<br>(yyyy-mm-dd) | PUBLICATION<br>TARGET DATE<br>(mm-dd-yy) | TECHNICAL COMMITTEE                | ICS CODE                             | INTERNATIONAL STANDARD<br>USED AS BASIS<br>(if applicable) |
|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------------------|------------------------------------------------------------|----------------------------------------------|--------------------------------------------|------------------------------------------|------------------------------------|--------------------------------------|------------------------------------------------------------|
| CAN/ULC-S112                                 | Standard Method of Fire Test of Fire Damper Assemblies                                                                                                   | Méthode D'essai Normalisée De Résistance Au Feu Des Registres Coupe-Feu                                                                                         | Reaffirmation | 10.10                    | 2020-10                                                    | TBD                                          | TBD                                        | 2021-04                                  | <a href="#">Fire Tests (S100A)</a> | 13.220.30; 19.040; 91.140.30         |                                                            |
| CAN/ULC-S112.1                               | Standard for Leakage Rated Dampers for Use In Smoke Control Systems                                                                                      | Norme Sur Les Registres Étanches Pour Systèmes De Désenfumage                                                                                                   | Reaffirmation | 10.10                    | 2020-10                                                    | TBD                                          | TBD                                        | 2021-04                                  | <a href="#">Fire Tests (S100A)</a> | 13.040; 13.220.20; 23.060; 91.140.30 |                                                            |
| CAN/ULC-S112.2                               | Standard Method of Fire Test of Ceiling Firestop Flap Assemblies                                                                                         | Méthode D'essai Normalisée De Comportement Aufeu Des Clapets Coupe-Feu Situés Dans Lesplafonds                                                                  | Reaffirmation | 10.10                    | 2020-10                                                    | TBD                                          | TBD                                        | 2021-04                                  | <a href="#">Fire Tests (S100A)</a> | 13.220.50; 91.060.30                 |                                                            |
| CAN/ULC-S132                                 | Standard Method of Tests for Emergency Exit and Emergency Fire Exit Hardware                                                                             | Méthode d'essai normalisée des serrures antipaniques des issues de secours et des portes coup-feu                                                               | Reaffirmation | 50.00                    | 2020-10                                                    | 2020-08-28                                   | 2020-10-27                                 | 2020-12                                  | <a href="#">Fire Tests (S100A)</a> | 13.220.20; 91.060.50                 |                                                            |
| ULC-S135                                     | Standard Test Method for the Determination of Combustibility Parameters of Building Materials Using an Oxygen Consumption Calorimeter (Cone Calorimeter) |                                                                                                                                                                 | Revision      | 40.20                    | 2020-11                                                    | 2020-11-17                                   | 2021-01-18                                 | 2021-03                                  | <a href="#">Fire Tests (S100A)</a> | 13.220.50 19.040                     |                                                            |
| CAN/ULC-S136<br>(ULC/ORD-C263.1-99)          | Standard Method of Fire Test of Sprinkler-Protected Window Systems                                                                                       |                                                                                                                                                                 | New Standard  | 40.70                    | 2020-05                                                    | 2019-10-02                                   | 2019-12-02                                 | 2021-02                                  | <a href="#">Fire Tests (S100A)</a> | 13.220.20 19.020 81.040.20 91.060.50 |                                                            |
| CAN/ULC-S138:2006-R2016<br>(ULC/ORD-C376-95) | Standard Method of Test for Fire Growth of Insulated Building Panels in a Full-Scale Room Configuration                                                  | Méthode d'essai normalisée de la propagation du feu dans les panneaux de construction isolés d'une configuration de pièces à l'échelle réelle                   | Revision      | 30.20                    | 2020-11                                                    | TBD                                          | TBD                                        | 2021-04                                  | <a href="#">Fire Tests (S100A)</a> | 13.220.50 19.020 91.060.10           |                                                            |
| CAN/ULC-S139 / ANSI/UL 2196<br>[BINATIONAL]  | Standard for Fire Test for Circuit Integrity of Fire-Resistive Power, Instrumentation, Control, and Data Cables                                          | Normes sur d'essai de résistance au feu pour l'évaluation de l'intégrité des circuits des câbles d'alimentation, de l'instrumentation, des contrôles et données | Revision      | 50.00                    | 2020-08                                                    | 2020-04-17                                   | 2020-06-16                                 | 2020-12                                  | <a href="#">Fire Tests (S100A)</a> | 13.220.20 29.060.20                  |                                                            |

| ULC STANDARD NO                              | TITLE                                                            | TITLE IN FRENCH<br>(if applicable)                                                                                     | PROJECT TYPE | CURRENT<br>STAGE<br>CODE | CURRENT STAGE<br>CODE<br>COMMENCEMENT<br>DATE<br>(yyyy-mm) | PUBLIC COMMENT<br>START DATE<br>(yyyy-mm-dd) | PUBLIC COMMENT<br>END DATE<br>(yyyy-mm-dd) | PUBLICATION<br>TARGET DATE<br>(mm-dd-yy) | TECHNICAL COMMITTEE                                                          | ICS CODE             | INTERNATIONAL STANDARD<br>USED AS BASIS<br>(if applicable) |
|----------------------------------------------|------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------|------------------------------------------------------------|----------------------------------------------|--------------------------------------------|------------------------------------------|------------------------------------------------------------------------------|----------------------|------------------------------------------------------------|
| CAN/ULC S338                                 | Standard for Automobile Theft Deterrent Equipment and Systems    | Norme sur les systèmes et les appareillages de prévention du vol de véhicules automobiles: immobilisation électronique | New Edition  | 20.20                    | 2019-12                                                    | TBD                                          | TBD                                        | 2021-06                                  | <a href="#">Automobile Theft Deterrent Equipment and Systems (S300V)</a>     | 13.310<br>43.040.99  |                                                            |
| CAN/ULC-S503 / ANSI/UL 154 [BINATIONAL]      | Standard for Carbon-Dioxide Fire Extinguishers                   | Norme sur les extincteurs au dioxyde de carbone                                                                        | Revision     | 40.93                    | 2020-11                                                    | 2020-08-21                                   | 2020-10-20                                 | 2021-02                                  | <a href="#">Portable Fire Extinguishers (S500A)</a>                          | 13.220.10            |                                                            |
| CAN/ULC-S504 / ANSI/UL 299 [BINATIONAL]      | Standard for Dry Chemical Fire Extinguishers                     | Norme sur les extincteurs à poudres chimiques                                                                          | Revision     | 40.93                    | 2020-11                                                    | 2020-08-21                                   | 2020-10-20                                 | 2021-02                                  | <a href="#">Portable Fire Extinguishers (S500A)</a>                          | 13.220.10            |                                                            |
| CAN/ULC-S507 / ANSI/UL 626 [BINATIONAL]      | Standard for Water Fire Extinguishers                            | Norme sur les extincteurs à eau                                                                                        | Revision     | 40.93                    | 2020-11                                                    | 2020-08-21                                   | 2020-10-20                                 | 2021-02                                  | <a href="#">Portable Fire Extinguishers (S500A)</a>                          | 13.220.10            |                                                            |
| CAN/ULC-S515                                 | Standard for Automobile Fire Fighting Apparatus                  | Norme sur les engins automobiles de lutte contre l'incendie                                                            | New Edition  | 20.20                    | 2018-06                                                    | TBD                                          | TBD                                        | 2021-06                                  | <a href="#">Fire Protection Equipment and Systems (S500B)</a>                | 13.220.30            |                                                            |
| CAN/ULC-S520                                 | Standard for Fire Hydrants                                       | Norme sur les poteaux d'incendie                                                                                       | Revision     | 40.70                    | 2020-08                                                    | 2020-06-11                                   | 2020-08-11                                 | 2021-03                                  | <a href="#">Fire Protection Equipment and Systems (S500B)</a>                | 13.220.30            |                                                            |
| CAN/ULC-S529/UL 268 [BINATIONAL]             | Standard for Smoke Detectors for Fire Alarm Systems              | Norme sur les détecteurs de fumée pour les systèmes d'alarme d'incendie                                                | Revision     | 40.60                    | 2020-10                                                    | 2020-07-17                                   | 2020-09-15                                 | 2021-03                                  | <a href="#">Fire Alarm &amp; Life Safety Equipment &amp; Systems (S500F)</a> | 13.220.20□<br>13.320 |                                                            |
| CAN/ULC-S530-M91-R2018                       | Standard for Heat Actuated Fire Detectors for Fire Alarm Systems | Norme sur les détecteurs d'incendie aérothermiques pour les systemes d'alarme incendie                                 | Revision     | 40.93                    | 2020-11                                                    | 2020-06-05                                   | 2020-08-10                                 | 2021-03                                  | <a href="#">Fire Alarm &amp; Life Safety Equipment &amp; Systems (S500F)</a> | 13.220.20□<br>13.320 |                                                            |
| CAN/ULC-S530-M91-R2018 / UL 521 [BINATIONAL] | Standard for Heat Detectors for Fire Alarm Systems               | Norme sur les détecteurs de chaleur pour les systèmes d'alarme incendie                                                | New Edition  | 20.20                    | 2020-06                                                    | TBD                                          | TBD                                        | 2021-10                                  | <a href="#">Fire Alarm &amp; Life Safety Equipment &amp; Systems (S500F)</a> | 13.220.20<br>13.320  |                                                            |

| ULC STANDARD NO                          | TITLE                                                                                       | TITLE IN FRENCH<br>(if applicable)                                         | PROJECT TYPE  | CURRENT<br>STAGE<br>CODE | CURRENT STAGE<br>CODE<br>COMMENCEMENT<br>DATE<br>(yyyy-mm) | PUBLIC COMMENT<br>START DATE<br>(yyyy-mm-dd) | PUBLIC COMMENT<br>END DATE<br>(yyyy-mm-dd) | PUBLICATION<br>TARGET DATE<br>(mm-dd-yy) | TECHNICAL COMMITTEE                                                                  | ICS CODE                            | INTERNATIONAL STANDARD<br>USED AS BASIS<br>(if applicable) |
|------------------------------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|---------------|--------------------------|------------------------------------------------------------|----------------------------------------------|--------------------------------------------|------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------------|------------------------------------------------------------|
| CAN/ULC-S531 / UL 217<br>{BINATIONAL]    | Smoke Alarms                                                                                | Norme sur les avertisseurs de fumée                                        | New Edition   | 30.93                    | 2020-10                                                    | TBA                                          | TBA                                        | 2021-12                                  | <a href="#">Fire Alarm &amp; Life Safety<br/>Equipment &amp; Systems<br/>(S500F)</a> | 13.220.20<br>13.320                 |                                                            |
| CAN/ULC-S531                             | Smoke Alarms                                                                                | Norme sur les avertisseurs de fumée                                        | Revision      | 10.00                    | 2020-07                                                    | TBA                                          | TBA                                        | 2021-03                                  | <a href="#">Fire Alarm &amp; Life Safety<br/>Equipment &amp; Systems<br/>(S500F)</a> | 13.220.20□<br>13.320                |                                                            |
| CAN/ULC-S536:2019                        | Standard for Inspection and Testing of Fire Alarm Systems                                   | Norme sur l'inspection et la mise à l'essai des systèmes d'alarme incendie | Revision      | 40.60                    | 2020-11                                                    | 2020-07-28                                   | 9/28/2020                                  | 2021-01                                  | <a href="#">Fire Alarm &amp; Life Safety<br/>Equipment &amp; Systems<br/>(S500F)</a> | 13.220.20<br>13.320<br>19.020       |                                                            |
| CAN/ULC-S537:2019                        | Standard for Verification of Fire Alarm Systems                                             | Norme sur la vérification des systèmes d'alarme incendie                   | Revision      | 40.60                    | 2020-11                                                    | 2019-05-31                                   | 9/28/2020                                  | 2021-01                                  | <a href="#">Fire Alarm &amp; Life Safety<br/>Equipment &amp; Systems<br/>(S500F)</a> | 13.220.20<br>13.320                 |                                                            |
| CAN/ULC S543                             | Standard for Internal Lug Quick-Connect Couplings for Fire Hose                             | Norme sur les raccords rapides à orielle interne pour tuyaux d'incendie    | Reaffirmation | 10.20                    | 2020-11                                                    | TBD                                          | TBD                                        | 2021-02                                  | <a href="#">Fire Protection Equipment<br/>and Systems (S500B)</a>                    | 13.220.10                           |                                                            |
| CAN/ULC-S554 / ANSI/UL 8<br>[BINATIONAL] | Standard for Water Based Agent Fire Extinguishers                                           | Extincteurs à agent à base d'eau                                           | Revision      | 50.00                    | 2020-10                                                    | 2020-08-14                                   | 2020-10-13                                 | 2020-12                                  | <a href="#">Portable Fire Extinguishers<br/>(S500A)</a>                              | 13.220.10                           |                                                            |
| CAN/ULC-S560                             | Standard for High-Performance and Aviation Foam Liquid Concentrates                         |                                                                            | New Edition   | 30.70                    | 2020-02                                                    | TBA                                          | TBA                                        | 2021-04                                  | <a href="#">Fire Fighting Foams (S500G)</a>                                          | 13.220.10<br>13.220.99              |                                                            |
| CAN/ULC-S563                             | Standard for High-Performance and Aviation Synthetic Fluorine-Free Foam Liquid Concentrates |                                                                            | New Edition   | 30.70                    | 2020-02                                                    | TBA                                          | TBA                                        | 2021-04                                  | <a href="#">Fire Fighting Foams (S500G)</a>                                          | 13.220.10<br>71.100.99<br>13.220.99 |                                                            |
| ULC-S564                                 | Standard for Foam Equipment and Liquid Concentrates                                         |                                                                            | New Edition   | 30.70                    | 2020-02                                                    | TBA                                          | TBA                                        | 2021-04                                  | <a href="#">Fire Fighting Foams (S500G)</a>                                          | 13.220.10                           |                                                            |

| ULC STANDARD NO                                    | TITLE                                                                                                                       | TITLE IN FRENCH<br>(if applicable)                                                 | PROJECT TYPE  | CURRENT<br>STAGE<br>CODE | CURRENT STAGE<br>CODE<br>COMMENCEMENT<br>DATE<br>(yyyy-mm) | PUBLIC COMMENT<br>START DATE<br>(yyyy-mm-dd) | PUBLIC COMMENT<br>END DATE<br>(yyyy-mm-dd) | PUBLICATION<br>TARGET DATE<br>(mm-dd-yy) | TECHNICAL COMMITTEE                                                               | ICS CODE                            | INTERNATIONAL STANDARD<br>USED AS BASIS<br>(if applicable) |
|----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|---------------|--------------------------|------------------------------------------------------------|----------------------------------------------|--------------------------------------------|------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------|------------------------------------------------------------|
| CAN/ULC-S566 / ANSI/UL 2129<br>[BINATIONAL]        | Standard for Halocarbon Clean Agent Fire Extinguishers                                                                      | Extincteurs aux agents propres à l'halocarbure                                     | Revision      | 40.93                    | 2020-11                                                    | 2020-08-21                                   | 2020-10-20                                 | 2021-02                                  | <a href="#">Portable Fire Extinguishers (S500A)</a>                               | 13.220.10                           |                                                            |
| ANSI/CAN/UL/ULC 567                                | Standard for Emergency Breakaway Fittings, Swivel Connectors and Pipe-Connection Fittings for Petroleum Products and LP-Gas |                                                                                    | New Standard  | 50.00                    | 2020-11                                                    | 2020-06-19                                   | 2020-08-18                                 | 2021-01                                  | <a href="#">Pipe Connectors for Petroleum Products and LP-Gas (STP 567)</a>       | 23.040.60                           |                                                            |
| ULC-S589 (ULC ORD-S539) / ANSI/UL 539 [BINATIONAL] | Standard for Single and Multiple Station Heat Alarms                                                                        | □ Norme pour les alarmes de chaleur à une et plusieurs stations                    | New Standard  | 30.93                    | 2020-10                                                    | TBA                                          | TBA                                        | 2021-05                                  | <a href="#">Fire Alarm &amp; Life Safety Equipment &amp; Systems (S500F)</a>      | 13.220.20 □<br>13.320               |                                                            |
| CAN/ULC-S593                                       | Standard for the Servicing of Halon and Clean Agent Extinguishing Systems                                                   |                                                                                    | New Standard  | 30.60                    | 2020-09                                                    | TBD                                          | TBD                                        | 2021-01                                  | <a href="#">Servicing of Extinguishing Systems (S500H)</a>                        | 13.220.10<br>13.220.20<br>03.080.10 |                                                            |
| CAN/ULC-S594                                       | Standard for the Servicing of Restaurant Cooking Area Extinguishing Systems                                                 |                                                                                    | New Standard  | 30.60                    | 2020-09                                                    | TBD                                          | TBD                                        | 2021-01                                  | <a href="#">Servicing of Extinguishing Systems (S500H)</a>                        | 13.220.10<br>13.220.20<br>03.080.10 |                                                            |
| CAN/ULC-S627                                       | Standard for Space Heaters for use with Solid Fuels                                                                         |                                                                                    | New Edition   | 40.93                    | 2020-12                                                    | 2019-11-13                                   | 2020-02-13                                 | 2021-11                                  | <a href="#">Factory-Built Fireplaces, Chimneys and Vents (S600E)</a>              | 97.100.30                           |                                                            |
| CAN/ULC-S628                                       | Standard for Fireplace Inserts                                                                                              |                                                                                    | New Edition   | 30.60                    | 2020-03                                                    | TBA                                          | TBA                                        | 2021-10                                  | <a href="#">Factory-Built Fireplaces, Chimneys and Vents (S600E)</a>              | 97.100.30                           |                                                            |
| CAN/ULC-S642                                       | Standard for Compounds and Tapes for Threaded Pipe Joints                                                                   | Norme sur les composés et rubans pour joints de tuyau filetés                      | New Edition   | 40.20                    | 2020-12                                                    | 2020-11-30                                   | 2021-02-01                                 | 2021-04                                  | <a href="#">Fueling Accessories for Flammable and Combustible Liquids (S600H)</a> | 23.040.80                           |                                                            |
| CAN/ULC S674                                       | Standard for Unvented Alcohol Fuel Burning Decorative Appliances                                                            | Norme Sur Les Appareils Décoratifs Non Raccordés Fonctionnant À L'alcool Carburant | Reaffirmation | 40.20                    | 2020-11                                                    | 2020-11-27                                   | 2020-01-29                                 | 2021-04                                  | <a href="#">Factory-Built Fireplaces, Chimneys and Vents (S600E)</a>              | 97.100.99                           |                                                            |

| ULC STANDARD NO    | TITLE                                                                                                                        | TITLE IN FRENCH<br>(if applicable)                                                                                                    | PROJECT TYPE  | CURRENT<br>STAGE<br>CODE | CURRENT STAGE<br>CODE<br>COMMENCEMENT<br>DATE<br>(yyyy-mm) | PUBLIC COMMENT<br>START DATE<br>(yyyy-mm-dd) | PUBLIC COMMENT<br>END DATE<br>(yyyy-mm-dd) | PUBLICATION<br>TARGET DATE<br>(mm-dd-yy) | TECHNICAL COMMITTEE                                                                | ICS CODE                            | INTERNATIONAL STANDARD<br>USED AS BASIS<br>(if applicable) |
|--------------------|------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------------------|------------------------------------------------------------|----------------------------------------------|--------------------------------------------|------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------|------------------------------------------------------------|
| CAN/ULC-S702.1     | Standard for Mineral Fibre Thermal Insulation for Buildings, Part 1: Material Specification                                  | Norme sur l'isolant thermique de fibres minérales pour bâtiments, partie 1 : spécifications relatives aux matériaux                   | New Edition   | 40.70                    | 2020-05                                                    | 2020-03-19                                   | 2020-05-19                                 | 2021-02                                  | <a href="#">Thermal Performance and Energy Use in the Built Environment (S700)</a> | 91.120.10                           |                                                            |
| CAN/ULC-S705.1     | Standard for Thermal Insulation - Spray Applied Rigid Polyurethane Foam, Medium Density - Material Specification             | Norme sur l'isolant thermique en mousse de polyuréthane rigide pulvérisée de densité moyenne : spécifications relatives aux matériaux | Revision      | 40.20                    | 2020-11                                                    | 2020-11-12                                   | 2021-01-11                                 | 2021-02                                  | <a href="#">Thermal Performance and Energy Use in the Built Environment (S700)</a> | 91.120.10                           |                                                            |
| CAN/ULC-S713.1     | Standard for Thermal Insulation – Low Density, Open Cell Spray Applied Semi-Rigid Polyurethane Foam – Material Specification |                                                                                                                                       | New Standard  | 40.70                    | 2018-12                                                    | 2018-09-14                                   | 2018-11-13                                 | 2021-02                                  | <a href="#">Thermal Performance and Energy Use in the Built Environment (S700)</a> | 91.100.60<br>91.120.10              |                                                            |
| CAN/ULC-S713.2     | Standard for Thermal Insulation – Low Density, Open Cell Spray Applied Semi-Rigid Polyurethane Foam – Installation           |                                                                                                                                       | New Standard  | 40.70                    | 2018-12                                                    | 2018-09-14                                   | 2018-11-13                                 | 2021-02                                  | <a href="#">Thermal Performance and Energy Use in the Built Environment (S700)</a> | 91.120.10                           |                                                            |
| CAN/ULC-S715.1     | Standard for Thermal Insulation - Spray Applied Rigid Polyurethane Foam, High Density - Material Specification               |                                                                                                                                       | New Standard  | 20.20                    | 2020-04                                                    | TBD                                          | TBD                                        | 2021-04                                  | <a href="#">Thermal Performance and Energy Use in the Built Environment (S700)</a> | 91.100.60<br>91.120.10              |                                                            |
| CAN/ULC-S715.2     | Standard for Thermal Insulation - Spray Applied Rigid Polyurethane Foam, High Density - Installation                         |                                                                                                                                       | New Standard  | 20.20                    | 2020-04                                                    | TBD                                          | TBD                                        | 2021-04                                  | <a href="#">Thermal Performance and Energy Use in the Built Environment (S700)</a> | 91.120.10                           |                                                            |
| CAN/ULC-S741       | Standard for Air Barrier Materials - Specification                                                                           | Norme sur les Matériaux d'Étanchéité à l'Air – Spécification                                                                          | Reaffirmation | 40.20                    | 2020-10                                                    | 2020-10-07                                   | 2020-12-07                                 | 2021-02                                  | <a href="#">Thermal Performance and Energy Use in the Built Environment (S700)</a> | 91.100.50<br>91.120.30              |                                                            |
| CAN/ULC-S743.2     | Standard for Thermal Insulation - Low Pressure Applied Two Component Spray Polyurethane Foam, Part 1: Installation           | Norme pour l'isolation thermique – mousse de polyuréthane à deux composants pulvérisée à basse pression, Partie 2 : Installation      | New Standard  | 50.00                    | 2020-09                                                    | 2020-04-13                                   | 2020-06-12                                 | 2021-01                                  | <a href="#">Thermal Performance and Energy Use in the Built Environment (S700)</a> | 91.120.10                           |                                                            |
| ANSI/CAN/UL/ULC 33 | Standard for Heat Responsive Links for Fire Protection Service                                                               |                                                                                                                                       | New Standard  | 30.70                    | 2020-12                                                    | TBD                                          | TBD                                        | 2021-06                                  | <a href="#">Sprinkler Equipment for Fire Protection (STP 199)</a>                  | 13.220.01<br>13.220.10<br>13.220.20 |                                                            |

| ULC STANDARD NO      | TITLE                                                                                                              | TITLE IN FRENCH<br>(if applicable)                                                                                                         | PROJECT TYPE | CURRENT<br>STAGE<br>CODE | CURRENT STAGE<br>CODE<br>COMMENCEMENT<br>DATE<br>(yyyy-mm) | PUBLIC COMMENT<br>START DATE<br>(yyyy-mm-dd) | PUBLIC COMMENT<br>END DATE<br>(yyyy-mm-dd) | PUBLICATION<br>TARGET DATE<br>(mm-dd-yy) | TECHNICAL COMMITTEE                                                                                                                           | ICS CODE               | INTERNATIONAL STANDARD<br>USED AS BASIS<br>(if applicable) |
|----------------------|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------|------------------------------------------------------------|----------------------------------------------|--------------------------------------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------------------------------------------------------------|
| ANSI/CAN/UL/ULC 312  | Standard for Check Valves for Fire-Protection Service                                                              |                                                                                                                                            | New Edition  | 40.70                    | 2020-01                                                    | 2019-10-02                                   | 2019-12-02                                 | 2021-12                                  | <a href="#">CHECK, DRY PIPE, AND ALARM VALVES FOR FIRE PROTECTION SERVICE (STP 260)</a>                                                       | 13.220.20              |                                                            |
| ANSI/CAN/UL/ULC 1091 | STANDARD FOR BUTTERFLY VALVES FOR FIRE PROTECTION SERVICE                                                          |                                                                                                                                            | New Edition  | 40.70                    | 2020-01                                                    | 2019-10-02                                   | 2019-12-02                                 | 2021-12                                  | <a href="#">HYDRANTS, GATE, AND BUTTERFLY VALVES FOR FIRE PROTECTION SERVICE (STP 262)</a>                                                    | 13.220.20              |                                                            |
| ANSI/CAN/UL/ULC 1370 | Standard for Unvented Alcohol Fuel Burning Decorative Appliances                                                   | Norme sur les appareils décoratifs non raccordés fonctionnant à l'alcool carburant                                                         | New Edition  | 20.20                    | 2020-08                                                    | TBA                                          | TBA                                        | 2021-03                                  | <a href="#">Factory-Built Fireplaces, Chimneys and Vents (S600E)</a>                                                                          | 97.100.99              |                                                            |
| ANSI/CAN/UL/ULC 2152 | Standard for Special Purpose Nonmetallic Containers and Tanks for Specific Combustible or Noncombustible Liquids   |                                                                                                                                            | New Standard | 50.00                    | 2020-09                                                    | 2020-01-17                                   | 2020-04-01                                 | 2021-01                                  | <a href="#">Combustible Liquid Tanks and Accessories (STP 2258)</a>                                                                           | 23.020.10<br>75.080    |                                                            |
| ANSI/CAN/UL/ULC 2580 | Standard for Batteries for Use In Electric Vehicles                                                                | Norme sur les batteries pour véhicules électriques                                                                                         | Revision     | 40.20                    | 2020-10                                                    | 2020-10-20                                   | 2020-12-19                                 | 2021-02                                  | <a href="#">Batteries for Use In Electric Vehicles (STP 2580)</a>                                                                             | 29.220<br>43.120       |                                                            |
| ANSI/CAN/UL/ULC 2583 | Standard for Fuel Tank Accessories                                                                                 | Norme de sécurité pour accessoires de réservoir de carburant                                                                               | New Standard | 30.70                    | 2020-11                                                    | TBA                                          | TBA                                        | 2021-03                                  | <a href="#">Valves for Flammable Fluids (STP 842)</a>                                                                                         | 23.020.10<br>75.200    |                                                            |
| ANSI/CAN/UL/ULC 2586 | Standard for Hose Nozzle Valves for Flammable and Combustible Liquids                                              |                                                                                                                                            | New Standard | 50.00                    | 2020-09                                                    | 2020-03-27                                   | 2020-05-26                                 | 2021-01                                  | <a href="#">Valves for Flammable Fluids (STP 842)</a>                                                                                         | 23.060.01<br>23.100.50 |                                                            |
| ANSI/CAN/UL/ULC-4402 | Indoor Air Quality in Buildings and Facilities Utilized for the Cultivation, Production and Processing of Cannabis |                                                                                                                                            | New Standard | 30.93                    | 2019-09                                                    | TBA                                          | TBA                                        | 2021-05                                  | <a href="#">Indoor Air Quality in Buildings and Facilities Utilized for the Cultivation, Production and Processing of Cannabis (STP 4402)</a> | 13.040.01<br>13.040.20 |                                                            |
| CAN/ULC-60839-11-2   | ALARM AND ELECTRONIC SECURITY SYSTEMS – Part 11-2: Electronic access control systems – Application Guidelines      | SYSTÈMES D'ALARME ET DE SÉCURITÉ ÉLECTRONIQUES – Partie 11-2: Systèmes de contrôle d'accès électronique – Lignes directrices d'application | New Standard | 20.20                    | 2020-11                                                    | TBA                                          | TBA                                        | 2021-04                                  | <a href="#">Security &amp; Burglar Alarm Equipment &amp; Systems (S300A)</a>                                                                  | 13.310<br>13.320       | IEC 60839-11-2:2014                                        |

| ULC STANDARD NO   | TITLE                                                                                                                                                                                                                                             | TITLE IN FRENCH<br>(if applicable)                                                                                                                                                                                                                                                                | PROJECT TYPE | CURRENT<br>STAGE<br>CODE | CURRENT STAGE<br>CODE<br>COMMENCEMENT<br>DATE<br>(yyyy-mm) | PUBLIC COMMENT<br>START DATE<br>(yyyy-mm-dd) | PUBLIC COMMENT<br>END DATE<br>(yyyy-mm-dd) | PUBLICATION<br>TARGET DATE<br>(mm-dd-yy) | TECHNICAL COMMITTEE                  | ICS CODE                         | INTERNATIONAL STANDARD<br>USED AS BASIS<br>(if applicable) |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------|------------------------------------------------------------|----------------------------------------------|--------------------------------------------|------------------------------------------|--------------------------------------|----------------------------------|------------------------------------------------------------|
| CAN/ULC-60895     | Live working – Conductive clothing                                                                                                                                                                                                                | Travaux sous tension – Vêtements conducteurs                                                                                                                                                                                                                                                      | New Edition  | 20.00                    | 2020-11                                                    | TBA                                          | TBA                                        | 2021-05                                  | <a href="#">Live Working (S400A)</a> | 13.260<br>29.240.20<br>29.260.01 | IEC 60895:2020                                             |
| CAN/ULC-60900     | Live working – Hand tools for use up to 1 000 V AC and 1 500 V DC                                                                                                                                                                                 | Travaux sous tension – Outils à main pour usage jusqu'à 1 000 V en courant alternatif et 1 500 V en courant continu                                                                                                                                                                               | New Edition  | 20.00                    | 2020-11                                                    | TBA                                          | TBA                                        | 2021-05                                  | <a href="#">Live Working (S400A)</a> | 13.260<br>29.240.20<br>29.260.99 | IEC 60900:2018                                             |
| CAN/ULC-61328     | Live working -- Guidelines for the installation of transmission line conductors and earthwires -- Stringing equipment and accessory items                                                                                                         | Travaux sous tension -- Guide pour l'installation de conducteurs et câbles de garde -- Equipement de déroulage et accessoires                                                                                                                                                                     | New Edition  | 40.00                    | 2020-12                                                    | 2020-12-04                                   | 2021-02-03                                 | 2021-05                                  | <a href="#">Live Working (S400A)</a> | 13.260<br>29.240.20<br>29.260.99 | IEC TR 61328:2017                                          |
| CAN/ULC-61482-1-1 | Live working – Protective clothing against the thermal hazards of an electric arc – Part 1-1: Test methods – Method 1: Determination of the arc rating (ELIM, ATPV and/or EBT) of clothing materials and of protective clothing using an open arc | Travaux sous tension – Vêtements de protection contre les dangers thermiques d'un arc électrique – Partie 1-1: Méthodes d'essai – Méthode 1: Détermination de la valeur assignée d'arc (ELIM, ATPV et/ou EBT) des matériaux pour vêtements et des vêtements de protection utilisant un arc ouvert | New Edition  | 20.00                    | 2020-11                                                    | TBA                                          | TBA                                        | 2021-05                                  | <a href="#">Live Working (S400A)</a> | 13.220.40<br>29.260.99           | IEC 61482-1-1:2019                                         |
| CAN/ULC-61482-2   | Live Working - Protective Clothing Against the Thermal Hazards of an Electric Arc - Part 2: Requirements                                                                                                                                          | Travaux sous tension - Vetements de protection contre les dangers thermiques d'un arc électrique - Partie 2: Exigences                                                                                                                                                                            | New Edition  | 40.00                    | 2020-12                                                    | TBA                                          | TBA                                        | 2021-05                                  | <a href="#">Live Working (S400A)</a> | 13.220.40<br>29.260              | IEC 61482-2:2018                                           |